

LED DISPLAY

OUTDOOR FRONT SERVICE LED DISPLAY

OUTDOOR FRONT SERVICE LED DISPLAY

USS1000F2

Outdoor Front Service LED Display

USS1000F2 SERIES

www.aludeed.com

Feature :

1. Energy-saving design, fast heat dissipation;
2. Dual service for front and rear maintenance;
3. Aluminum profile cabinet is light weight;
4. IP65 dustproof and waterproof;
5. HUB connection, easy to operate.
6. 6500cd/m² Brightness, 3840Hz Refresh Rate.




Front and Rear Service

Dual service mode of front and rear design to save you Maintenance Cost.



Simple Design

Cables hidden at the bottom of the Cabinet.



High-Efficiency Cooling

The cabinet features an efficient heat dissipation design.



6 Sizes Available

USS1000F2 is based on 500×250mm LED modules and offers six sizes.



Beveled-Edge Cabinet

USS1000F2 Series LED display offers optional 45° mitered cabinets. (Optional)



Three Size(mm): 1000*500 / 1000*750 / 1000*1000

90° Curved Cabinet

Supports 90° arc corner stitching to achieve 3D display effect. (Optional)



Customized Size (Optional)

Superb Display Effect

LED DISPLAY

6500

CD/m² High Brightness

3840

Hz High Refresh Rate

OUTDOOR FRONT SERVICE LED DISPLAY

OUTDOOR FRONT SERVICE LED DISPLAY

USS1000F2 SERIES

www.aludeed.com

Installation Method

LED DISPLAY

OUTDOOR FRONT SERVICE LED DISPLAY



Billboard installation



Stack installation

OUTDOOR FRONT SERVICE LED DISPLAY

USS1000F2 SERIES

www.aludeed.com

Multiple Applications

OUTDOOR FRONT SERVICE LED DISPLAY



OUTDOOR FRONT SERVICE LED DISPLAY

Packing Method

(Refer to the packaging method)

Cabinet size(L*H)	1000*1000mm
Packing Quantity	6pcs/case
Package Size(L*W*H)	1050*755*1180mm
Weight/Case	208Kg



THANKS

WhatsApp

+963 965 747 889

Email

info@aludeed.com

Website

www.aludeed.com